


RUBBER-SEAL®

Medallion™ *Refinish System*



AUTOBODY REFINISH & REPAIR CATALOG



1-800-257-6547

www.medallionrefinish.com

TABLE OF CONTENTS

Headlight Restoration	Page 1
Spot Werkes	Page 2
Clearcoats	Page 3, 4
Primers	Page 5, 6, 7
Top Coats	Page 8
Powdered Pearls	Page 9
Toners	Page 9
Reducers & Additives	Page 10
Pre Cleaners	Page 11
Compounds Polishes & Pads	Page 12, 13
Misc. Refinish Supplies	Page 13, 14
Aerosols	Page 14, 15
Glazing Putties & Supplies	Page 16
Glass Shop Products	Page 16
Plastic Sheeting, Protective Films & Coatings	Page 17
Cutting & Grinding Products	Page 18, 19
Seam Sealers	Page 20
Adhesives & Sound Deadeners	Page 21
Tapes	Page 21
2 Component Adhesives & Sealers	Page 22
Indasa Abrasives	Page 23

Medallion Headlight Restoration



- Increases Light Output 600-1000%
- Improves Driving Safety
- Better Night Time Visibility
- Increase Auto Value
- Cheaper Than Replacement
- State-of-the-UC Cure
- Superior Scratch Resistance
- Excellent Chemical Resistance
- Excellent Leveling Characteristics
- Cures with 160 Watt UVA Light
- Can be Cured with Natural Sunlight
- Applied with PreVal Sprayer or
- Mini-Jet Spray Gun

MRS-690-Kit

- 2 - MRS-690 Headlight Restoration Coating
- 1 - MRS-691 Headlight Sanding/Cleaning Solution
- 1 - MRS-692 Solvent Cleaner
- 2 - RS-802-3 PreVal Power Head
- 2 - RS-802-4 4 oz. Polyethylene Bottle

The **Medallion™ Headlight Restoration System** has proven to be one of the best systems available. It is a simple 7 step system that takes approximately 20-30 minutes to do both headlights. The resin used in the headlight coating has gone through 3+ years of Florida's weather conditions with no deterioration. Most systems on the market involve sanding, compounding and waxing which holds up for a few months. With these systems, the headlights dull out in less than 3 months.

The “**Medallion™ Headlight Restoration System**” is a simple 7 step process that requires UV light to cure the headlight coating. The UV light source can be a UVA light set-up with a minimum 160 watt UV bulb or in some cases natural sunlight.



MRS-694K Tripod Light Fixture Kit with 1 Fixture / 2 160 Watt UV Light Bulbs and Safety Glasses



MRS-695 160 Watt UV Self-Ballasted Curing Light Bulb



MRS-696 Ultra-Spec 2001 Safety Glasses

SpotWerkes

ULTRA PRODUCTION SYSTEM

"SpotWerkes" 2K PRIMER 50 State Compliant

2K Urethane Primer Surfacer MRS-8500 "Spot Werkes" 2K Urethane Primer Surfacer is a medium build, versatile two component primer surface. It has an ultra fast dry-to-sand time. This primer surfacer is excellent for spot repairs. Formulated with corrosion resistant properties eliminates self-etch primer on cut through and other small bare metal areas. This primer has excellent adhesion and solvent resistance with all topcoat paint systems.



FEATURES:

- ◆ Excellent flow out
- ◆ Excellent color hold-out
- ◆ Superior impact resistance
- ◆ Fast cure; can be sanded in 25 minutes
- ◆ Guaranteed performance

COMPATIBLE SUBSTRATES:

- ◆ Properly prepared steel
- ◆ All properly prepared rigid and semi rigid auto body parts
- ◆ All brands of polyester fillers and glazing putties
- ◆ Clean, properly sanded O.E.M. or refinish coatings
- ◆ Properly prepared aluminum

MRS-8500	2K Primer	Gallon
MRS-8500-Q	2K Primer	Quart
MRS-8550	Activator	Quart
MRS-8550-8	Activator	8 oz.



"SpotWerkes" CLEARCOAT

Ultra Production System Acrylic Urethane Clearcoat MRS-8200 "Spot Werkes" Ultra Production Clearcoat is high production clearcoat system developed for spot repair and one panel repair. This 4:1 mix clearcoat is a 3 coat system that can be sanded and buffed in 20-25 minutes air dry or baked for 5 minutes at 130°F(54.4°C) metal temperature. MRS-8200 "Spot Werkes" Ultra Production Clearcoat is applied in 3 light coats wet-on-wet with no flash times between coats.



FEATURES:

- ◆ Super fast dry-to-sand time
- ◆ Excellent for spot repairs
- ◆ Superb blending
- ◆ Fast bake cycle, no purge time; saves fuel cost
- ◆ Excellent gloss
- ◆ Can be applied to flexible parts
- ◆ Excellent system for jambs and cut-it parts
- ◆ Guaranteed performance

COMPATIBLE SURFACES:

- ◆ Acrylic or polyester basecoats
- ◆ Activated polyurethane enamel (must be cured at least 8 hours)
- ◆ Activated acrylic urethane enamel (must be cured at least 8 hours)
- ◆ OEM clearcoats

MRS-8200	Clearcoat	Gallon
MRS-8210	2.1 VOC Clearcoat	Gallon
MRS-8250	Activator	Quart



"SpotWerkes" ACCELERATED REDUCER & POT LIFE EXTENDER

"Spot Werkes" Accelerated Reducers are formulated for the "Spot Werkes" Acrylic Urethane Clearcoats and "Spot Werkes" 50 State Compliant 2K Urethane Primer Surfacer.



MRS-8060	Accelerated Reducer Fast	Gallon
MRS-8060-Q	Accelerated Reducer Fast	Quart
MRS-8075	Reducer Medium	Gallon
MRS-8075-Q	Reducer Medium	Quart
MRS-8085	Reducer & Pot Life Extender Slow	Gallon
MRS-8085-Q	Reducer & Pot Life Extender Slow	Quart

CLEARCOATS



EZ EUROPEAN CLEARCOAT

RS-6100 is a water-clear, high-production clearcoat that is compatible with all acrylic and polyester basecoat systems. Can be lightly water-sanded and buffed 2-3 hours (air-dry) after application. Levels instantly as it hits the panel, making it very easy to get a smooth, high-gloss finish. Produces a very flexible, high-gloss coating.

RS-6100	Clearcoat	5 liter
RS-6060	Fast Activator	2.5 liter
RS-6070	Medium Activator	2.5 liter
RS-6080	Slow Activator	2.5 liter
RS-6090	X-Slow Activator	2.5 liter

**2:1
Mix**



EUROPEAN CLEARCOAT

MRS-6200 4.2 V.O.C. European Clearcoat is a 2:1 mix clearcoat formulated for superior leveling, excellent gloss and easy sanding. This clearcoat utilizes the best UV stabilizers to prevent yellowing. MRS-6200 has excellent adhesion to both acrylic and polyester basecoat systems. This clearcoat is easy to buff next day or 3-4 days later. It can be applied in air dry or bake environments.

MRS-6200	Clearcoat	5 liter
MRS-6360	Fast Activator	2.5 liter
MRS-6375	Medium Activator	2.5 liter
MRS-6390	Slow Activator	2.5 liter

**2:1
Mix**



EUROPEAN CLEARCOAT

MRS-6300 Medallion™ European Clearcoat 2.1 V.O.C. is formulated with premium European resins. This water clear formula utilizes the best UV stabilizer system to prevent yellowing. It has superior vertical stability avoiding runs. MRS-6300 Medallion™ European Clearcoat 2.1 V.O.C mixes 2 to 1 with versatile activator system for various temperature ranges. It can be applied in air dry or bake environments.

MRS-6300	Clearcoat	5 liter
MRS-6360	Fast Activator	2.5 liter
MRS-6375	Medium Activator	2.5 liter
MRS-6390	Slow Activator	2.5 liter

**2:1
Mix**



2.1 VOC EUROPEAN CLEARCOAT

MRS-6400 European Clearcoat 2.1 V.O.C. is a high solid clearcoat glamour clear. This clearcoat mixes 2:1 with an activator system designed for various temperature ranges. It can be air dried or baked. An excellent clearcoat for restoration.

MRS-6300	Clearcoat	5 liter
MRS-6360	Fast Activator	2.5 liter
MRS-6375	Medium Activator	2.5 liter
MRS-6390	Slow Activator	2.5 liter

**2:1
Mix**



“ULTRA CLEAR” CLEARCOAT

RS-2200 Ultra Overall / Multi-Purpose Clear is a premium quality acrylic urethane clearcoat developed from the finest European and domestic raw materials available. RS-2200 is a medium solids product that meets national VOC rule standards when mixed properly.

RS-2200	Clearcoat	Gallon
RS-2260	Fast Activator	Quart
RS-2275	Medium Activator	Quart
RS-2285	Slow Activator	Quart
RS-2295	X-Slow Activator	Quart

**2:1
Mix**



“ULTIMATE” CLEARCOAT

RS-2300 is a Premium Acrylic Urethane Clearcoat that is suitable for panel as well as overall refinishing. RS-2300 offers outstanding gloss and durability with improved adhesion on all acrylic and polyester color coat systems. New European resin system offers excellent resistance to solvent pop and fisheye. Excellent flow and leveling properties make this clear extremely easy to apply.

RS-2300	Clearcoat	Gallon
RS-2260	Fast Activator	Quart
RS-2275	Medium Activator	Quart
RS-2285	Slow Activator	Quart
RS-2295	X-Slow Activator	Quart

**2:1
Mix**

CLEARCOATS



“RAPID CURE” CLEARCOAT

RS-4810 Clearcoat is specifically designed for rapid production environments. RS-4810 can be baked at low temperatures for 10 minutes or air dried 1½ to 2 hours before sanding and buffing. Saves on booth time and energy costs while significantly increasing shop throughput.

RS-4810	Clearcoat	Gallon
RS-4860	Rapid Cure Activator	Quart
RS-4870	Panel Activator	Quart
RS-4880	Multi Panel Activator	Quart
RS-4890	Slow Activator	Quart

**4:1
Mix**



2.1 VOC CLEARCOAT

MRS-21 2.1 V.O.C. Acrylic Urethane Clearcoat is a low V.O.C. clearcoat formulated to be used in the most stringent V.O.C. areas. This acrylic urethane clearcoat has excellent leveling characteristics and outstanding gloss retention. It can be used as an air dry or bake system clearcoat.

MRS-21	Clearcoat
MRS-60	Fast Activator
MRS-75	Medium Activator
MRS-90	Slow Activator

Gallon
Quart
Quart
Quart

**4:1
Mix**



LOW GLOSS CLEARCOAT

MRS-4820 Low Gloss Clearcoat is designed for undersides of hoods, trunk lids, door jambs, back-sides of fenders. It can also be used on exterior panels where a low gloss clear is needed. MRS-4820 Low Gloss Clear mixes 4:1 with the RS-4800 series activators.

RS-4860	Rapid Cure Activator	Quart
RS-4870	Panel Activator	Quart
RS-4880	Multi Panel Activator	Quart
RS-4890	Slow Activator	Quart



BLEND-EZE PANEL BLENDER

RS-2710 Blend Eze Panel Blender/Color Checker is a blend of premium solvents and resins designed to be used as a panel blender for 2K clearcoat systems and single-stage urethanes and to check color match and layout of metallics. It is compatible with most major clearcoat, basecoat and single-stage urethane systems. Reduce remaining clearcoat with RS-2710 at 1:1 mix to melt in edge and then spray without reduction to melt in featheredge. RS-2710 can also be used as a wet-bed sealer.

RS-2710	Blend Eze	Gallon
RS-2710-Q	Blend Eze	Quart



FADE EDGE BLENDER

RS-596 is a blend of special solvents and resins for melting in dry edges on blends. RS-596 works very well as a wet bed sealer on scuffed adjacent panels prior to color blending. Super fine mist pattern melts dry edges for an invisible blend.

RS-596	Fade	Aerosol
--------	------	---------



COLOR BLENDER

MRT-500 Color Blender is a universal blending product used as a wet-bed sealer, lock-down clear on metallics, cut-in clear in areas not exposed to sunlight, mid-coat clear for tri-coats and graphics and a basecoat blender. This blender is compatible with most basecoat systems. It can be reduced with standard and reactive type reducers

MRT-500	Color Blender	Gallon
MRT-500-Q	Color Blender	Quart



2.1 VOC “RAPID CURE” ACCELERATED REDUCER

Rapid Cure Accelerated Reducer is designed to increase productivity and thru-put without sacrificing durability and gloss. This reducer decreases cure times and dry-to-sand times as much as 80% with not affect on pot-life and sprayability. MRS-155 can be used in Medallion urethane clearcoat and primer surfacers. Add 5-10% to ready-to-spray material.

MRS-155-Q	Rapid Cure Reducer	Quart
-----------	--------------------	-------



RECONDITIONING CUT IN CLEAR

This versatile 1K Clearcoat can be used for several applications. Excellent results on all nonexposed areas that require clearcoating. Also works excellently on color spray-out cards when checking for color match. Won't yellow out or haze out like other aerosol clear coats.

RS-550	Reconditioning Clear	Aerosol
--------	----------------------	---------

PRIMERS

SURFACERS



LACQUER PRIMER SURFACER

RS-768-V Lacquer Primer Surfer is a top quality, fast drying lacquer primer surfacer. Excellent solvent holdout with minimal shrinkage makes this primer stand above the rest. Must be used with Zero VOC Lacquer Thinner.

RS-768V Lacquer Primer Grey Gallon



2.1 VOC LACQUER PRIMER SURFACER

MRS-771 2.1 V.O.C. Acrylic Lacquer Primer Surfer-Grey is a premium acrylic lacquer primer surfacer formulated for the most stringent V.O.C. regulations. This primer surfacer must be reduced with the proper Zero V.O.C. reducer to be compliant. MRS-771 has excellent adhesion with superior filling and sanding properties.

MRS-771 2.1 VOC Lacquer Primer Grey Gallon
MRS-771-Q 2.1 VOC Lacquer Primer Grey Gallon



FILL & FLEX PRIMER

Fill and Flex Primer is a fast drying sandable primer for all types of flexible and rigid body parts. It is very effective at filling sand scratches, dries to sand in 5-10 minutes and featheredges better than most primers. Fill and Flex Primers are available in black, grey and rose and can be purchased in bulk or in an aerosol.

RS-515 Fill & Flex Grey Aerosol
RS-516 Fill & Flex Rose Aerosol
RS-566 Fill & Flex Black Aerosol



2K URETHANE PRIMER SURFACER

RS-784 is a premium quality 2K urethane primer surfacer that dries fast and builds quickly. RS-784 has excellent hold out and featheredges easily with no ringing or lifting.

RS-784 2K Urethane Primer Buff Gallon
RS-784-Q 2K Urethane Primer Buff Quart
RS-785 Primer Activator Quart
RS-785-8 Primer Activator 8 oz.
RS-793 Flex/Impact Activator Quart



2K "SELECT SHADE" RAPID PRODUCTION PRIMER

RS-790 "Select Shade" is a Super High Build Primer Surfer that can be sprayed as a high/medium build surfacer as well as a sealer. This primer can be dry sanded in as little as 50 minutes depending on film thickness. RS-790 can be applied over unsanded E-Coat primer on inside surfaces, saving hours of preparation time. RS-790 has excellent adhesion to all paint surfaces and can be applied over properly prepared bare metal. By using this "Select Shade" system, these colors can be mixed to create a wide variety of color offerings for optimum basecoat coverage. Easy to sand. Can be directly top-coated with basecoat.

RS-790 Primer Buff Gallon RS-791 Activator Normal Quart
RS-790-B Primer Black Gallon RS-792 Activator Slow Quart
RS-790-G Primer Grey Gallon RS-793 Flex/Impact Activator Quart
RS-790-W Primer White Gallon



2.1 VOC RAPID PRODUCTION PRIMER


RS-796 is a Super Versatile Two Component Urethane Primer/Surfacer/Sealer. RS-796 Primer comes in a high viscosity form that after activation can be reduced in various levels to use as a super high build primer/surfacer, medium build primer/surfacer, or a sealer. This primer is extremely fast drying and when sufficiently dry, it sands easily without loading sandpaper. RS-796 can also be sprayed directly on the underside of properly cleaned new E-Coat body parts without sanding, saving hours of preparation time.

RS-796 Primer Grey Gallon
RS-796-Q Primer Grey Quart
RS-797 Activator Quart
RS-797-8 Activator 8 oz.



PRIMERS

SURFACERS



“POLY MAX” POLYESTER PRIMER

RS-794 is a Two-Component Polyester Primer Surfer that is fully compliant with both National and California regulations for maximum allowable VOCs. RS-794 is a High Solids, High Build primer surfer with exceptional filling capabilities. It’s unique formula delivers “Tight Cross-Link Density” which holds down body repair areas and provides an exceptional foundation for superior topcoat holdout. Offers excellent application, flow and leveling, and can be tinted up to 10% by volume with most polyester-based basecoat tints. RS-794 exhibits superior adhesion to properly prepared substrates such as steel, galvanized steel, aluminum, fiberglass and body filler.

RS-794	Primer Grey	Gallon
RS-794-Q	Primer Grey	Quart



“SELECT SHADE” DUAL PRIME AEROSOLS

Select Shade Dual Prime is a dual purpose high build specialty coating designed for priming and surfacing of metal and plastic parts. This primer helps prevent rust and seals out moisture while providing a base for topcoating. The RS-570 series boasts excellent flexibility and adhesion so it can be applied on both flexible and rigid parts. Select Shade dries fast, has excellent build and is easy to sand. Paintable in 20 minutes.

RS-570	Tru-Black	Aerosol
RS-571	Dark Grey	Aerosol
RS-572	Medium Grey	Aerosol
RS-573	Light Grey	Aerosol

SEALERS



1K ACRYLIC SEALER

MRS-774 1K Acrylic Sealer is a ready-to-spray, one component sealer that can be applied to previously coated substrates to provide uniform surface tension and color. This sealer has excellent adhesion and color hold-out. MRS-774 provides an extremely smooth surface for topcoating and is highly resistant to lifting of undercoats. Can be used wet-on-wet application (requires no sanding before topcoating). It requires no activator, therefore unused product can be poured back into the can.

MRS-774	Primer Grey	Gallon
MRS-774-Q	Primer Grey	Gallon



EPOXY PRIMER

RS-780 Epoxy Primer is a 1:1 mix primer. This epoxy primer surfer has excellent adhesion to cold rolled steel, aluminum, galvanized steel, stainless steel, galvanneal, fiberglass, SMC, factory e-coat, OEM coatings, after market coatings and rigid plastics. MRS-780 has excellent chemical and corrosion resistance. It is available in gray, black and white colors and is packaged in quarts and gallons. MRS-780 Epoxy Primer must be activated with MRS-781 Epoxy Primer Activator


RS-788	Primer Black	Gallon
RS-780	Primer Grey	Gallon
RS-789	Primer White	Gallon
RS-781	Catalyst	Gallon



2.1 VOC “SELECT SHADE” NON SANDING SEALER

RS-776 2K Acrylic Urethane Sealer is a premium 2 component sealer with excellent solvent resistance and color holdout. RS-776 can be used as a non-sanding single coat sealer to cover body repairs and existing finishes and to create one uniform surface for topcoats. At 2.1 lbs./gal. VOC, this sealer is compliant in all markets. RS-776 can be tinted.

RS-776	Primer Grey	Gallon
RS-776-B	Primer Black	Gallon
RS-776-W	Primer White	Gallon
RS-777	Activator Standard	Quart
RS-778	Activator Slow	Quart



WATER BASED PRIMER

RS-799 is a water based primer specifically designed for excellent adhesion to properly prepared plastic and steel surfaces. This primer dries quickly while imparting excellent salt spray resistance. RS-799 may be sanded after drying and can be topcoated with various waterborne or solvent based topcoats. Excellent for use in all sensitive substrates. Ultra Low VOC. Compliant in all markets.

RS-799	Primer Black	Gallon
RS-799-Q	Primer Black	Quart
RS-799-5	Primer Black	5 Gallon



PRIMERS

SEALERS



2.1 VOC 1K ACRYLIC SEALER

MRS-800 2.1 V.O.C. 1K Acrylic Sealer is a one component, ready to spray primer sealer. This sealer can be used on all previous coated surfaces to provide a uniform surface prior to topcoating. Applied wet on wet, no sanding required before topcoating. MRS-800 lays down super smooth and has excellent adhesion and color holdout. It is ready to spray, no mixing required so you can pour unused sealer back into the can.

MRS-800 Primer Grey
MRS-800-Q Primer Grey

Gallon
Quart



SPECIALITY PRIMER PRODUCTS



2.1 VOC "DTAM" DIRECT TO ALL METAL PRIMER

MRS-80 is a direct to all metal primer surfacer that can be applied to bare substrates eliminating the pre-treatment primer step. It has excellent adhesion to cold rolled steel, aluminum, galvanized panels, galvaneal, body filler, fiberglass, SMC and OEM finishes. MRS-80 sands easily without loading the sandpaper. Its medium gray color and superior solvent resistance eliminates the need for primer sealer in many applications.

MRS-80 Primer Grey
MRS-80-B Primer Black
MRS-82 Primer Activator

Gallon
Gallon
Quart



2K SELF ETCHING PRIMER

RS-786 is a unique, two-part, self-etching, self-leveling, bare metal primer filler. RS-786 is designed to give maximum adhesion and corrosion resistance on all types of bare metal. What makes this bare metal primer unique is that it fills as it primes. Can be used over steel, aluminum and galvanized steel.

RS-786 Primer Grey
RS-786-Q Primer Grey
RS-787 Catalyst
RS-787-Q Catalyst

Gallon
Quart
Gallon
Quart



UNIVERSAL 1K SELF ETCHING PRIMER

RS-510 is a smooth, fast-drying, single component primer that produces the ultimate adhesion on bare metal, galvanized steel, stainless steel, aluminum, cured paint, body filler and plastics. Aerosol version can be directly top coated with any acrylic or polyester based product. "CHROMATE FREE!"

RS-510 Primer Grey Aerosol



1K ACID ETCH PRIMER

RS-517 is a single component acid etch primer for use on all types of bare metal surfaces. Conveniently packaged in an aerosol can, this primer is the perfect fix for cut through areas as well as entire panels. RS-517 provides the best adhesion on all properly prepared metal and is chromate free. Must be topcoated with another primer before coating with polyester color systems.

RS-517 Primer Grey Aerosol



HIGH BUILD ACRYLIC 1K PRIMER

RS-524 is a High Build 1K primer which is great for spot repairs and easy to sand, wet or dry. This primer also adheres to metal and plastic. RS-524 is easy to use with no clean-up and paintable in 20 minutes with basecoat.

RS-524 Primer Grey Aerosol



ETCH WELD PRIMER

RS-512 Etch-Weld Primer is a unique, fast-drying, weld-thru primer and self-etch primer in one product. Works on all types of metal. Will not burn away from weld bead. Very little spattering or popping when welding. Can be directly topcoated with acrylic or polyester basecoat systems.

RS-512 Primer Red Aerosol



GUIDE COAT

RS-525 Guide Coat is the fastest and easiest method for detecting high and low spots in body filler or primer. Instant-dry, black formula sprays a light coat that can be sanded in seconds. This high-solids formula has been reported to last as long as 3 or 4 cans of competitive products.

RS-525 Guide Coat Black Aerosol

TOP COATS



1K SATIN BLACK UNDERBODY COATING

MRS-360 1K Underbody Coating is an enamel based high build coating designed for coating under carriages. This coating is ready-to-spray, requires no hardener and is compliant in all 50 states. MRS-360 is used for coating frame rails, brackets and under carriages. It dries in 30 minutes (1 coat) and can be reduced with "Zero" V.O.C. reducer up to 25%.

MRS-360-1	Satin Black Underbody Coating	Gallon
MRS-360-5	Satin Black Underbody Coating	5 Gallon
MRS-360-55	Satin Black Underbody Coating	55 Gallon



UNIVERSAL SATIN BLACK TRIM PAINT

MRS-755 Universal Satin Black Trim & Bumper Paint is a single component coating used for trim parts, bumpers, moldings, impact strips. It is a ready-to-spray coating so unused product can be poured back into the can. A pre-treatment primer should be used on bare metal surfaces and an adhesion promoter should be used on raw plastic pieces.

MRS-755	Satin Black Trim Paint	Gallon
MRS-755-Q	Satin Black Trim Paint	Quart
RS-514	Satin Black Trim Paint	Aerosol



HOT ROD BLACK (Satin)

MRS-4200 Satin Hot Rod Black is a 2 component acrylic urethane coating. It mixes 4:1 with MRS-4205 Regular or MRS-4210 Slow Activator. MRS-4200 Satin Hot Rod Black is an excellent coating for restoration, striping, coating frames, engine compartments, or any place a primer like coating is needed. This coating formulated to withstand the same atmospheric conditions as any single-stage urethane system.

MRS-4200	Hot Rod Black Satin	Gallon
MRS-4205	Activator Regular	Quart
MRS-4210	Activator Slow	Quart



HOT ROD BLACK (High Sheen)

MRS-4250 Satin Hot Rod Black 2.8 V.O.C. is a 2 component acrylic urethane coating. It mixes 4:1 with MRS-4255 Regular or MRS-4260 Slow Activator. MRS-4250 Satin Hot Rod Black 2.8 V.O.C. is an excellent coating for restoration, striping, coating frames, engine compartments, or any place a primer like coating is needed. This coating is formulated to withstand the same atmospheric conditions as any singlestage urethane system. MRS-4250 Satin Hot Rod Black 2.8 V.O.C. is compliant in California

MRS-4250	Hot Rod Black High Sheen	Gallon
MRS-4255	Activator Regular	Quart
MRS-4260	Activator Slow	Quart



BEDLINER ACTIVATE * SHAKE * SPRAY

MRS-7000 Medallion Black Bedliner is a 2 component urethane, 3:1 mix coating that is used to coat truck beds, frames, trunk interiors, floor pans, inside door skins and wheel wells. This coating can be applied with RS-818 Universal Applicator Gun. MRS-7000 Medallion Black Bedliner is packaged in a quart container that is ¾ full. Pour in the 8 oz. activator, shake and spray. Available with a normal activator for moderate temperatures or slow activator for hot weather. Medallion Bedliner is also available in a tintable.

MRS-7000	Bedliner Black	24 oz.	MRS-7010	Adhesion Promoter	Pint
MRS-7001	Bedliner Tintable	21 oz.	RS-813	Scuff Brush	
MRS-7007	Activator Standard	8 oz.	RS-818	Applicator Gun	

POWDERED PEARLS

					MRPX-01	Radiant Red	4 oz.
					MRPX-02	Crystal Silver	4 oz.
					MRPX-03	Sunbeam Gold	4 oz.
					MRPX-04	Galaxy Blue	4 oz.
					MRPX-05	Stellar Green	4 oz.
					MRPX-07	Fireside Copper	4 oz.
					MRPX-08	Cosmic Turquoise	4 oz.

				MRP-087	Fine Blue	6 oz.
				MRP-092	Frost Blue	6 oz.
				MRP-098	Fine White	6 oz.
				MRP-099	Fine Russet	6 oz.
				MRP-093	Tincture Gold	6 oz.

TONERS

	JET BLACK BASECOAT		
	MRT-683 Basecoat Black	Gallon	
	MRT-683-Q Basecoat Black	Quart	

	BASECOAT WHITE		
	MRT-684 Basecoat White	Gallon	
	MRT-684-Q Basecoat White	Quart	

	COARSE SATIN ALUMINUM		
	MRT-690 Coarse Satin	Gallon	
	MRT-690-Q Coarse Satin	Quart	

	MEDIUM SATIN ALUMINUM		
	MRT-687 Medium Satin	Gallon	
	MRT-687-Q Medium Satin	Quart	

	HS WHITE TONER		
	MRT-801 HS White	Gallon	
	MRT-801-Q HS White	Quart	

	LS WHITE TONER		
	MRT-802 LS White	Gallon	
	MRT-802-Q LS White	Quart	

	JET BLACK TONER		
	MRT-805 Jet Black	Gallon	
	MRT-805-Q Jet Black	Quart	

	HS BLACK TONER		
	MRT-806 HS Black	Gallon	
	MRT-806-Q HS Black	Quart	

	JET BLACK BASECOAT		
	MRT-97 Jet Black Basecoat is a 1:1 mix basecoat. This basecoat is a direct replacement for PPG DBC 9700 Jet Black Basecoat. MRT-97 Jet Black Basecoat should be reduced 1:1 with RS-1800 series standard urethane grade reducers.		
	MRT-97	Jet Black	Gallon
	MRT-97-Q	Jet Black	Quart

REDUCERS & ADDITIVES



ZERO VOC REDUCERS

Zero V.O.C. Universal Reducers designed to be used in urethane, lacquer and acrylic based products. MRS-165 Fast should be used in cold temperature environments. These reducers will not increase the V.O.C. of the mixed product.

MRS-165	Fast	Gallon
MRS-175	Medium	Gallon
MRS-185	Slow	Gallon



SPECIALITY REDUCERS

MRS-1804	Low Temp	Gallon
MRS-1805	Mid Temp	Gallon
MRS-1806	High Temp	Gallon
MRS-1807	X-High Temp	Gallon



SPECIALITY THINNERS

MRS-3870	Fast	Gallon
MRS-3871	Medium	Gallon
MRS-3872	Slow	Gallon
MRS-3873	X-Slow	Gallon



BASECOAT REDUCERS

Rubber-Seal's premium blend of virgin solvents and resins are designed to hold basecoat color in place and prevent mottling. Three speeds are available for various weather conditions.

RS-1360	Basecoat Reducer Fast	Gallon
RS-1370	Basecoat Reducer Medium	Gallon
RS-1385	Basecoat Reducer Slow	Gallon



BASEMATE REDUCERS

These are premium quality basecoat reducers designed specifically for certain color systems. They provide excellent sag resistance, metallic stability and color accuracy.

RS-1760	Basemate Reducer Fast	Gallon
RS-1775	Basemate Reducer Medium	Gallon
RS-1785	Basemate Reducer Slow	Gallon



URETHANE GRADE REDUCERS

Premium, 100% virgin reducers in various speeds for use in urethane clearcoats, primers and urethane paints.

RS-1860	Fast	Gallon
RS-1870	Medium	Gallon
RS-1885	Slow	Gallon
RS-1895	X-Slow	Gallon



UNIVERSAL RETARDER SOLVENT

Universal retarder for all solvent based primer or clearcoat systems. Small amount slows flash time in hot weather for increased flow & leveling and prevents dieback.

RS-1899	Retarder Solvent	Quart
---------	------------------	-------



BASECOAT ACTIVATOR

MRS-122 Basecoat Activator can be used in paint manufacturers' basecoats to increase durability, improve intercoat adhesion and increase gloss holdout. Basecoat Activator should be used in the basecoat when a fast, rapid cure activator is used in the clearcoat.

MRS-122-Q	Basecoat Activator	Quart
MRS-122-P	Basecoat Activator	Pint



BASECOAT BALANCER & BINDER

Medallion Binders and Balancers are designed as direct replacement products for major paint manufacturer products. These products are used identically as their counterparts in ratio equivalency and application.

RS-3150	Basecoat Balancer	Gallon
RS-3175	Basecoat Binder	Gallon



BASECOAT BALANCER & BINDER

Medallion Binders and Balancers are designed as direct replacement products for major paint manufacturer products. These products are used identically as their counterparts in ratio equivalency and application.

RS-3320	Basecoat Binder	Gallon
RS-3330	Basecoat Balancer	Gallon



BASECOAT STABILIZERS

Medallion Basecoat Stabilizers are designed as direct replacement products for major paint manufacturer products. These products are used identically as their counterparts in ratio equivalency and application.

RS-3600	Stabilizer Fast	Gallon
RS-3605	Stabilizer Standard	Gallon
RS-3608	Stabilizer Slow	Gallon



BASECOAT CONVERTER & BALANCING CLEAR

Medallion Binders and Balancers are designed as replacement products for major paint manufacturer products. These products are used identically as their counterparts in ratio equivalency and application.

RS-3689	Basecoat Converter	Gallon
RS-3695	Basecoat Balancing Clear	Gallon

PRE-CLEANERS



ZERO VOC PRE-CLEAN

This pre-cleaner is V.O.C. compliant in all regulated areas. MRS-611 can be used as a pre-cleaner and as a final wash before painting. Leaves no residue when properly applied

MRS-611 Zero VOC Pre-Cleaner
Gallon



WATER BASED PRE-CLEAN

MRS-612 Water-Based Pre Clean is used to remove road grime, silicone, grease and wax. Contains a flash rust inhibitor. It can be applied directly to the surface with the RS-805 Pump and Clean Applicator. MRS-612 is V.O.C. compliant in all regulated areas.

MRS-612 Water Based Pre-Clean
Gallon



WAX & GREASE REMOVER SLOW

RS-608 is an excellent pre-paint cleaner for all acrylic finishes. Quickly removes all silicones, wax, grease or any other contaminants. Flashes quickly leaving no residue. RS-608 has slower flash time than RS-609, giving more time for removal while remaining wet on the panel. Leaves no residue. Excellent in hot weather conditions.

RS-608	Wax & Grease Remover Slow	Gallon
RS-608-5	Wax & Grease Remover Slow	Gallon
RS-608-55	Wax & Grease Remover Slow	Gallon



WAX & GREASE REMOVER

RS-609 is an excellent pre-paint cleaner for all acrylic finishes. Quickly removes all silicones, wax, grease and other contaminants. Flashes quickly leaving no residue.

RS-609	Wax & Grease Remover	Gallon
RS-609-5	Wax & Grease Remover	Gallon
RS-609-55	Wax & Grease Remover	Gallon



PUMP & SPRAY APPLICATOR

RS-805 Pump & Spray is a manual-pump sprayer designed for the application of wax & grease removers, wheel cleaners, white-wall cleaners and other automotive cleaners. The seals are made of Viton rubber which is highly resistant against toluene, mineral spirits and isopropyl alcohol.

RS-805 Pump & Spray Applicator



AEROSOL PRE-CLEANER

RS-539 Pre-Cleaner Aerosol is a pre-paint cleaner for all finishes. This is an excellent cleaner for removing contaminants from the surface such as silicones, waxes, grease and tar. RS-539 Pre-Cleaner Aerosol works well as a final cleaner before applying topcoats.

RS-539 Spray Degreaser Aerosol



ACRY-LAC SUPER CLEANER

A universal solvent thinner for adhesives and sealants. Excellent for reactivating and tooling sealers and adhesives. Leaves no film. Safe on all fully cured paint and most upholstery. Will clean-up undercoats, sealers or adhesives. Excellent tar and bug remover.

RS-600	Acry-Lac	Quart
RS-601	Acry-Lac	Gallon
RS-602	Acry-Lac	5 Gallon
RS-603	Acry-Lac	55 Gallon



SUPER SOLV

An excellent high strength solvent for cleaning grease, wax and other contaminants from all types of plastic or metal. Excellent release agent for adhesives, moldings, etc. Will not hurt cured paint. Leaves no residue.

RS-615	Super Solv	Quart
RS-615-1	Super Solv	Gallon
RS-529	Super Solv	Aerosol



FLEXI-CLEAN

The first step to our adhesion promoting system for flexible bumper covers and polypropylene plastic. Removes all mold release agents, silicone or other contaminants that prevent good adhesion. Excellent for all aftermarket auto parts.

RS-620	Flexi-Clean	Quart
RS-620-1	Flexi-Clean	Gallon
RS-594	Flexi-Clean	Aerosol

COMPOUNDS / POLISHES & PADS



CLEAN & SHINE

MRS-675 is a detail product formulated to remove smudges, finger prints, hazing, etc. from exterior finishes and interiors. It can be used on chrome, glass, mirrors, vinyl, moldings, trim and tires. Body Shop Safe.

MRS-675	Clean & Shine	Quart
MRS-675-1	Clean & Shine	Gallon



GLOSS MAX POLISH

RS-671 Gloss Max Polish permanently removes 2500 grit scratches and swirl marks. This product is totally free of fillers, glaze, silicone and wax. RS-671 leaves a beautiful, intense shine and cleans up easily.

RS-671	Gloss Max	Quart
--------	-----------	-------



ULTRA FINISH COMPOUND

RS-674 Ultra Finish Compound quickly removes 1500 grit scratches on fresh paint. It is a sling free formula with low heat production. RS-674 can be used as a one step product on light colored finishes. It cleans up easily with a burst of compressed air. Does not contain silicone. Does NOT leave greasy film.

RS-674	Ultra Finish	Quart
--------	--------------	-------



FAST CUT MICRO FINISH COMPOUND

Our Fast Cut Micro Finish quickly removes 1500 grit, ultra-fine scratches from urethane, single stage, and clearcoat finishes. It combines an ultra fine abrasive with solvent to get the job done quickly and easily. This product contains no harsh solvents which etch paint and create time-consuming clean-up. It cleans out of seams and door jambs in seconds.

RS-6	Fast Cut	Quart
RS-7	Fast Cut	Gallon



MICRO FIBER DETAILING CLOTH

This incredibly absorbent towel removes minute dirt particles like a magnet. Perfect for applying and wiping off pre-cleaner. Also great for polishing and cleaning glass.

RS-662	16"x16" Micro Fiber Cloth	Individual
RS-662-4	16"x16" Micro Fiber Cloth	4 Pack
RS-667	27"x36" Micro Fiber Cloth	Individual



CARNUBA WAX

"Breathable" Paint Protector is designed to be used on fresh paint. Works well on dark colors and metallics. Easily applied with soft, clean dry cloth. Allow to dry to a haze and wipe off with a clean dry soft cloth.

RS-650	Carnuba Wax	Quart
--------	-------------	-------

COMPOUND PADS



HEAVY CUTTING FOAM PAD

Used with heavy to medium compounds to remove coarse grit sand scratches (1000 to 1500) and heavy oxidation. Excellent pad for old paint as well as freshly painted surfaces.

RS-651	Yellow Cutting Pad
--------	--------------------



CUTTING FOAM PAD

Used with compounds, polishes to remove moderate to light sand scratches, minor paint defects and swirl marks.

RS-652	Green Cutting Pad
--------	-------------------



CUTTING/POLISHING FOAM PAD

Used with compound to remove moderate to light sand scratches (1500 to 2000). Use with polishes and glazes for minor paint defects, swirl marks and to enhance the gloss.

RS-653	Orange Cutting/Polishing
--------	--------------------------



WOOL COMPOUND PAD

100% woven wool and quickly attaches to RS-665 backing plate for fast cutting action on all types of paint. Runs cool to prevent burning and extend pad life. Top quality.

RS-643	Wool Compound
--------	---------------

POLISHING/GLAZING PADS



POLISHING FOAM PAD

Use with polishes and machine glazes to remove swirl marks and minor scratches and hazing or dullness.

RS-657	White Polishing
--------	-----------------



FINISHING FOAM PAD

Use with polishes, glazes to remove swirl marks, hazing and to enhance the gloss and DOI.

RS-658	Black Finishing
--------	-----------------



FINESSING FOAM PAD

Use with finishing glazes, sealants and waxes to enhance the gloss.

RS-660	Blue Finishing
--------	----------------

COMPOUNDS / POLISHES & PADS

SPOT REPAIR PADS



CUTTING/POLISHING FOAM PAD
Used with compound to remove moderate to light sand scratches (1500 to 2000). Use with polishes and glazes for minor paint defects, swirl marks and to enhance the gloss.

RS-670 Orange Cutting/Polishing



POLISHING/GLAZING FOAM PAD
Use with polishes and machine glazed to remove swirl marks and minor scratches and hazing or dullness.

RS-675 White Polishing/Glazing



FINISHING FOAM PAD
Use with polishes, glazes to remove swirl marks, hazing and to enhance the gloss and DOI.

RS-676 Black Finishing



WOOL COMPOUND PAD
Used with compound to remove moderate to light sand scratches (1200 to 2000).

RS-679 Wool Compound



SPOT REPAIR KIT

- | | | |
|--------|-------------------|--------|
| RS-670 | Cutting/Polishing | 1 each |
| RS-676 | Finishing | 1 each |
| RS-675 | Polishing | 1 each |
| RS-679 | Wool Compound | 1 each |
| ES-662 | Micro Fiber Cloth | 1 each |



BACKING PLATES & ACCESSORIES

- | | |
|--------|--------------------------------|
| RS-665 | Backing Plate 7 1/2" & 8" pads |
| RS-678 | Backing Plate 3" & 3 1/2" pads |
| RS-668 | 5/8" DA Adapter |
| RS-669 | Spot Buff Drill Adapter |

MISC. REFINISH SUPPLIES



RUBBER GLOVES

RS-470 Low Powder Latex gloves are super durable and pliable, solvent resistant. RS-472, 473 and 474 Powder Free Nitrile gloves are very resistant to solvent, super long life.

- | | | |
|--------|------------------|----------|
| RS-470 | Low Powder Latex | Large |
| RS-472 | Black Nitrile | Large |
| RS-473 | Black Nitrile | X-Large |
| RS-474 | Black Nitrile | XX-Large |



MIXING CUPS

Durable plastic mixing cups with several mixing ratios on the outside. These cups are transparent so that clears and primers can be precisely mixed for optimum performance.

- | | |
|----------|-------------------|
| RS-452 | 32 oz. Mixing Cup |
| RS-452-L | 32 oz. Lid |
| RS-453 | 16 oz. Mixing Cup |
| RS-453-L | 16 oz. Lid |



FOAM ROLLERS

Foam Rollers are designed to be used for 2K Urethane Primer application. Using Foam Rollers eliminates overspray issues, masking paper use, and spray gun vapors. Available in 4" and 2" widths.

- | | |
|--------|-----------------|
| RS-771 | 4" Black Roller |
| RS-772 | 4" Handle |
| RS-774 | 2" Black Roller |
| RS-779 | 2" Handle |



PREMIER RESPIRATOR

The BEST respirator you can buy. NOT a disposable -- For perpetual use. Offers exclusive triple seal protection in a super durable, super conformable synthetic rubber mask. One size fits all.

- | | |
|--------|----------------|
| RS-305 | Respirator |
| RS-306 | Filter Set |
| RS-307 | Pre-Filter Set |



FULL FACE RESPIRATOR

RS-310-L is the full face version of the RS-305 Respirator. Protects eyes from harmful vapors. Available with clear shield covers. ***Must order with RS-306 Cartridge Filter & Prefilter Set and 2 RS-308 Prefilter Retainer Rings.**

- | | | |
|----------|----------------------|--------|
| RS-310-L | Full Face Respirator | Large |
| RS-310-M | Full Face Respirator | Medium |



PARTICLE RESPIRATOR

RS-314-ML filters out dust, aerosol and welding fumes while providing an exhale valve that eliminates heat, used air and moisture from inside the mask w/exhale valve.

- | | |
|-----------|---------------------|
| RS-314-ML | Particle Respirator |
|-----------|---------------------|

MISC. REFINISH SUPPLIES



DISPOSABLE RESPIRATOR

A premium quality respirator that filters particulates and odors. Super soft rubber contours to your face, and is the most comfortable mask available. Comes with both charcoal and cloth filters. No cleaning, just discard after approximately 40 hours of use.

RS-822-L Disposable Respirator Large
RS-822-M Disposable Respirator Medium



TACK CLOTH

RS-820 Base/Clear Tack Cloth. Low Tack to reduce friction and static electricity. Excellent for urethane paint systems. Long life. RS-821 Tan is the standard tack cloth

RS-820 Base/Clear 12 bx.
RS-821 Yellow/Tan 12 bx.



COTTON STRAINERS

Medium Cotton Strainers
1000 per pack

RS-10201



GUN CLEANING KIT

HVLP Spray Gun Cleaning Kit is a professional gun cleaning kit used by spray gun repair centers throughout the USA. Each tool is made from the highest quality material. All the brushes are made of special nylon bristles to prevent wear or damage to the parts.

RS-451 HVLP Gun Cleaning Kit



HOODED PAINT SUITES

Nylon Hooded Spray Suits are made of breathable nylon that is 100% dust and lint free. Elastics at the waist, wrist, and ankles offer superior protection. Full two way nylon zipper for comfort and easy removal. Washable and Anti-Static White.

RS-312 Paint Suits
Available in M,L,XL,2XL,3XL



HOODED PAINT JACKETS

Paint Jackets are made of the same 100% breathable nylon material our Hooded Spray Suits. Designed to offer 100% dust and lint free protection to all shop personnel. Integrated hood, elastic cuffs, and front Pockets provide easy removal and comfort. Washable and Anti-Static.

RS-313 Paint Jackets
Available in M,L,XL,2XL,3XL

AEROSOLS



WHITE LITHO GREASE

RS-504 White Litho Grease is a high-viscosity, lithium base lubricant for hinges, latches, linkage, etc. Won't run off vertical surfaces. Excellent on all mechanical moving parts.

RS-504 White Litho Grease Aerosol



CLEAR PENETRATING GREASE

RS-507 Clear Penetrating Grease is a premium quality clear lubricant that sprays out liquid to penetrate tight fitting parts, then turns to gel in 20-30 seconds. Excellent heat resistance. Best hinge/bushing lubricant available.

RS-507 Clear Penetrating Grease Aerosol



GRAPHITE BASED NUT CRACKER

RS-508 Graphite Nut Cracker is an excellent graphite-enhanced penetrant for all types of rusted or corroded bolts or nuts. Leaves graphite residue to make removal and installation EASY.

RS-508 Graphite Nut Cracker Aerosol



NUT CRACKER

RS-509 Nut Cracker is a fast-penetrating, corrosion breaking formula that makes fast work of rusted bolts and fittings. A tremendous rust preventative and lubricant. Won't dry out. Protects against corrosion.

RS-509 Nut Cracker Aerosol



SPRAY TRIM C-MENT

RS-505 Spray Trim Cement is a fast-tacking, mist-pattern spray cement for vinyl, leather, fabric or plastic applications. High strength. Long tack time.

RS-505 Spray Trim Adhesive Aerosol



SUPER TRIM ADHESIVE

RS-580 Super Trim Adhesive is a high viscosity, heavy-duty, web-pattern spray adhesive for all autobody applications including vinyl tops and headliners. Nozzle has light, medium and heavy spray adjustments.

RS-580 Super Trim Adhesive Aerosol



FLEXIBLE PARTS PAINT STRIPPER

RS-535 is a premium grade stripper that can be used for either rubber bumpers or rigid metal parts. One easy application will remove all types of paint as well as gasket material.

RS-535 Flexible Parts Stripper Aerosol



FLEXI GRIP

A fast tacking adhesion promoter for all types of plastic and rubber parts. Provides a good surface for primer or paint to adhere. To be used on unpainted plastic or rubber parts before painting.

RS-590 Flexi Grip Aerosol
RS-1290 Flexi Grip Quart

AEROSOLS



TRIM PAINTS

Heat resistant enamels for use on all automotive trim plastic or metal.

RS-518 Flat Black Trim Paint Aerosol
RS-519 Glossy Black Trim Paint Aerosol



EUROPEAN TRIM BLACK

RS-526 European Trim is a semi-gloss black trim paint designed to match factory blacked-out window trim, plastic and rubber parts. Tremendous adhesion to aluminum and stainless steel trim.

RS-526 European Trim Black Aerosol



EUROPEAN TRIM PAINTS

New European style trim paint is available in three different gloss levels to match all factory black trim parts.

RS-560 Semi Gloss Aerosol
RS-561 Gloss Aerosol
RS-563 High Gloss Aerosol



VINYL FABRIC CLEANER

RS-511 Vinyl Fabric Cleaner is a premium foaming cleaner that deodorizes while it cleans. Excellent on all fabrics, carpet, vinyl, leather, etc. The only product needed to clean an auto interior.

RS-511 Vinyl Fabric Cleaner Aerosol



KLEER GLASS CLEANER

Our original formula won't streak or haze. Leaves a brilliant shine on windows. Removes bug deposits and light over-spray in seconds.

RS-513 Kler Glass Cleaner Aerosol



BRAKE CLEANER

RS-521 Brake Cleaner is a premium quality, non-flammable cleaner for brake and other dust collecting parts. Evaporates quickly leaving no film. Stops squeal from dirt, grease, asbestos dust and brake fluid. Contains chlorinated solvents.

RS-521 Brake Cleaner Aerosol



TRIM CARE

Multi-Use autobody trim treatment and protector. Lifts wax and polish deposits out of textured body, bumper and window trim. Prevent weatherstrips from sticking or becoming brittle. Makes rubber and plastic trim parts look brand new.

RS-585 Trim Care Aerosol



"BLAST IT" GUN CLEANER

RS-538 "Blast It" Spray Gun Cleaner is a high pressure aerosol cleaner formulated to remove uncured urethane, polyester and water-borne paints and primers from spray gun internal and external parts. "Blast It" is supplied with a nozzle and tube for cleaning internal inlets and tubes.

RS-538 Blast It Gun Cleaner Aerosol



AMBER RUST PROOFING

A multi-purpose parafin rustproofing that tacks-up in ten minutes. Light viscosity allows material to flow into concealed areas where undercoats can't reach. Will not obstruct welds. Weldable 1 hour after application. Excellent for core supports, sheet metal, frames, etc.

RS-530 Amber Rustproofing Aerosol
RS-5032 X-Long Extension Tip



PAINTABLE RUBBERIZED UNDERCOAT

RS-532 Paintable Rubberized Undercoat is a premium quality all rubber-base coating for undercarriages, trunks and fender wells. Excellent sound deadening properties. Dries quickly and is paintable in 30 minutes. Good texture.

RS-532 Paintable Rubberized Undercoat Aerosol
RS-5030 X-Long Extension Tube



RUBBER COAT

RS-592 Rubber Coat is the economical alternative to high-priced undercoats. Dries in about 20-30 minutes to a heavy, smooth satin finish. Can be painted but should NOT be used as a rocker panel coating or in exposed trunk areas. Excellent value.

RS-592 Rubber Coat Aerosol



PAINTABLE RUBBERIZED UNDERCOAT

A premium rubberized undercoating that is V.O.C. compliant in all 50 states. This undercoating is an excellent product for sound deadening, rust protection and sealing out dust, fumes, etc. It can be topcoated in 4 hours. It sprays well through an extension tube. Dries in 15-20 minutes depending on temperature.

RS-582 Paintable Rubberized Undercoat Aerosol



ROCKER GUARD

A premium textured coating that protects rocker panels and valances from stone abrasion. Matches light or heavy factory texture. Paintable in about 30 minutes.

RS-540 Rocker Guard White Aerosol
RS-541 Rocker Guard Black Aerosol

GLAZING PUTTIES & SUPPLIES



POURABLE GLAZING PUTTY

The finest quality European resins are used in this smooth, easy-sanding putty. Top quality resins mean no staining, excellent adhesion to even zinc coated or galvanized coated steel. Light viscosity for smooth "pin-hole" free finishing. Works well on bumper covers where most other putties won't. Extremely pin-hole resistant. Flowable.

RS-50 Pourable Glazing Putty 30 pz.
RS-51 Pourable Glazing Putty 15 oz. bag



HIGH COHESION SPOT PUTTY

Non-Sag. Super filling properties. Easy to sand. Pinhole free. Load resistant. Outstanding adhesion on steel, galvanized, aluminum, fiberglass, body filler, cured paint and most plastics. No shrinkage. Stain free. Tack free. Easy to spread. Self leveling. Can be used with IR or in bake oven.

RS-52 High Cohesion Spot Putty 1 Ltr. Bag



FIBERFILLER

This is an excellent product for repairing damaged SMC and Fiberglass panels, as well as holes in all types of metal. This product can also be used as a barrier coat because it does not swell or will not absorb solvents.

RS-60 Fiberfiller 20 oz. Bag



POLYESTER GLAZING PUTTY

The finest quality European resins are used in this smooth, easy-sanding putty. Top quality resins mean no staining, excellent adhesion to even zinc coated or galvanized coated steel. Heavy viscosity for smooth, pin-hole free finishing.

RS-55 Polyester Glazing Putty 37 oz.
RS-56 Red Hardener



SMC BOND & FILL

RS-62 can be used as both an adhesive and filler. As an adhesive, it bonds rigid plastics such as SMC, FRP and fiberglass together. As a filler, it can be used on all plastics, fiberglass and metal. Will bond SMC to metal, but NOT metal to metal. Reinforced with carbon fibers and fiberglass filaments. This product can be used to replace both fillers and adhesives. Totally waterproof.

RS-62 SMC Bond & Fill 1 Ltr. Bag



SURE MIX SHEETS

Stop body filler, glazing putties and other two component products from cardboard contamination that causes pinholes in fillers and discoloration of basecoats.

RS-19 Sure Mix Sheets 100 per board



PLASTIC SPREADERS

Pliable, precision molded spreaders for all types of fillers and putties. Quickly release cured fillers.

RS-14 4" Spreader 50 per box
RS-15 5" Spreader 25 per box
RS-16 6" Spreader 2 5 per box
RS-21 4" x 4.5" Swiss Style 25 per box

GLASS SHOP PRODUCTS



DOW WINDSHIELD PRODUCTS

One component, super-fast setting O.E.M. urethane. Essex is the O.E.M. urethane supplier for domestic vehicles. Meets all O.E.M. specifications.

RS-221 U-418HV Fast Cure Urethane High Viscosity
RS-225 U-418 Fast Cure Urethane
RS-225-P U-413 Pinch Weld Primer
RS-225-XD Dauber for RS-225-P



QUICK CURE WINDSHIELD URETHANE

Fast curing medium viscosity windshield urethane for all factory urethane bonded auto glass. Pumps easily and seals up fast to get jobs done quickly. Meets all factory specifications. Primer should be applied to all bare metal area of pinchweld.

RS-224 Quick Cure Urethane Cartridge



BUTYL TAPE

A non-sagging solid butyl tape for auto and truck windshields and back lights. Bonds and seals glass to metal instantly. Will not break away from glass. For long method installation, bulk or singles.

RS-400-5 5/16" x 15' Round
RS-400-6 3/8" x 15' Round

PLASTIC SHEETING, PROTECTIVE FILMS & COATINGS



PLASTIC SHEETING

Heavy gauge clear plastic sheet with built-in cling treatment. Treated plastic allows paint to stick and actually attracts airborne atomized paint. Sheeting rolls-out to desired size to cover part, or all of cars, trucks or vans. Core adapter included for all dispensers.

MP-400	12' x 400'
MP-401	14' x 350'
MP-402	16' x 350'



WHEEL MASKERS

Treated plastic tire/wheel covers that cling to bottom of tire and avoid overspray from drifting up under cover. Treated plastic allows paint to stick and actually attracts airborne atomized paint, therefore eliminating overspray particles from blowing into fresh paint. Packaged in easy-to-dispense rolls.

MP-403	17"-20" Wheel Masker	36 box
MP-404	24 1/2" Wheel Masker (Semi Truck)	50 box
MP-410	Standard Wheel Masker	100 box
MP-411	16" Utility Truck Wheel Masker	60 box



WRECK WRAP

Wreck Wrap film stops wind, rain, snow from getting inside vehicle through broken or missing glass. Bonds firmly wherever applied and can be easily peeled off without leaving any adhesive behind. Also works great for seat and carpet protection, vehicle and sign transport protection and overspray protection.

MP-420	24" x 200'
MP-421	36" x 200'



DUST TRAP

RS-618 is a statically charged, water based liquid specifically designed to attract and hold dust on spray booth floors and other dusty working conditions. RS-618 attracts dust and dirt, holding them at ground level. Can be reapplied several times before washing with water.

RS-618	Dust Trap	Gallon
RS-618-5	Dust Trap	5 Gallon



MIRROR MASKER

Treated plastic mirror covers that cling to the mirror on contact and are very easy to tape. Treated plastic also allows paint to stick, thereby eliminating overspray particles from landing in fresh paint.

MP-405	Plastic Mirror Masker	50 Box
--------	-----------------------	--------



CLEAR BOOTH COAT

Temporary, water-washable, clear protective film. This clear booth wall coating protects white paint booth walls from overspray buildup. Easily sprays on and dries quickly. To remove, simply wash off with water and apply a new coat.

RS-706	Clear Booth Coat	Gallon
RS-706-5	Clear Booth Coat	5 Gallon
RS-706-15	Clear Booth Coat	15 Gallon
RS-706-55	Clear Booth Coat	55 Gallon



SPRAY MASK

This exceptional spray mask provides over-spray protection on all parts of a vehicle exterior. Super clear spray mask for excellent protection on cars and trucks. Completely seals the vehicle from all types of paint and primer overspray. Dries quickly to a clear film so the cars can be moved about the shop without losing the protection.

RS-708	Spray Mask	Gallon
RS-708-5	Spray Mask	5 Gallon
RS-708-15	Spray Mask	15 Gallon
RS-708-55	Spray Mask	55 Gallon
RS-708-GUN	1.9mm Gravity Feed Gun	

CUTTING & GRINDING



SCUFF PADS

Excellent quality, long-lasting scuff pads that cut evenly with no gouging. These are standard size pads that are solvent resistant.

RS-924	Maroon Pad	20 Box
RS-925	Ultra Fine Grey	20 box



RAZOR BLADES

High quality, Made in USA blades for all uses.

RS-848	Razor Blades	100 Box
--------	--------------	---------



MBX METAL BLASTER

The MBX Metal Blaster Tool rapidly removes paint, seam sealer, undercoating, decals, graphics and adhesives; all with only one tool! Four types of wire wheels are available to easily meet your needs. Rubber eraser is also available for removing decals and graphics.

RS-862-K	MBX Kit
RS-862-RS	Rubber Eraser
RS-862-CB	Coarse Belt
RS-862-MB	Mrdium Belt
RS-862-FB	Fine Belt
RS-862-FSS	Fine Stainless Belt



PIN STRIPE ERASER

The RS-839 pin stripe eraser is a premium quality rubber eraser that quickly removes adhesive residue, pin stripes, double-faced tapes and most decals without harming paint. Comes with a molded 3/8" x 24 metal arbor. Designed to operate at 4000 RPM.

RS-839	Pin Stripe Eraser
RS-839-K	Pin Stripe Eraser
RS-839-A	Arbor for RS-839
RS-839-T	Eraser Tool



MINI GRINDER

These grinders are perfect for powering our RS-864 series TrimKut Discs, RS-861-3 Striping Disc, RS-866 Series Surface Prep Disc and RS-867 Series Grinding Disc.

RS-861-T	Mini Grinder Straight
RS-864-T	Mini Grinder Angle



MICRO SANDER

This dual action sander is perfect for small jobs and areas that are difficult to sand. Uses 3" pad and Velcro® disc. Light-weight, high-quality gearless construction. Uses Rubber-Seal's IN-320 series sanding discs.

RS-5201	3" Micro Sander
RS-5201-PAD	3" Backing Plate



STRIPPING DISC

You can remove rocker guard, seam sealer, undercoat, rust and paint in the blink of an eye with these amazing Strip Discs. They won't load up and they don't eat up the metal underneath the coatings that you are removing. You will definitely want these discs if you ever need to remove coatings, rust or paint. Nothing works better or faster!

RS-861	4" Black Stripping Disc
RS-861-3	3" Black Screw On Stripping Disc



LONG LIFE CUTTING WHEEL

Excellent quality cutting wheel for all metal or plastic body parts. Fine mesh reinforced sides that control debris. 25,000 RPM max. speed.

RS-894	3"x1/16"x3/8"	25 Box
--------	---------------	--------



SUPREME CUTTING WHEEL

Our best quality cutting wheel equals or out performs all other cutting wheels. Extra long life with minimal debris. Four sizes to meet all requirements. 25,000 RPM max. speed.

RS-887	3"x1/32"x3/8"	10 Box
RS-888	3"x1/16"x3/8"	10 Box
RS-889	3"x1/8"x3/8"	5 Box
RS-890	4"x1/32"x3/8"	5 Box



RESIN FIBER GRINDING DISC

Best quality zirconium abrasive sharpens itself as you grind to provide outstanding cutting and extra long life. Resin bond holds grit in place to prevent debris. Cuts cool and fast to prevent warpage and reduce glazing and loading.

RS-860-5-24	24 Grit	25 Box
RS-860-5-36	36 Grit	25 Box
RS-860-7-24	24 Grit	25 Box
RS-860-7-36	36 Grit	25 Box
RS-860-9-24	24 Grit	25 Box
RS-860-9-36	36 Grit	25 Box



FLAP DISC

Super fast removal of paint, primer and welds without eating-up metal like resin fiber discs. No loading, vibration or chattering.

RS-860-4.5-40	40 Grit Flap Disc
RS-860-4.5-60	60 Grit Flap Disc

CUTTING & GRINDING



TRIM KUT GRINDING DISC

The TrimKut Disc is a revolutionary grinding disc for use on all surfaces. Can be trimmed easily for extended life. Trim feature eliminates waste. Flexible backing plate built into disc for easy installation on grinder.

RS-864-24	3" 24 Grit	RS-864-36	3" 36 Grit
RS-864-60	3" 60 Grit	RS-865-24	5" 24 Grit
RS-865-36	5" 36 Grit		



SURFACE PREP DISC

These reinforced, non-woven nylon web backed discs provide outstanding longevity. Very tough so it will hold-up on coarse surfaces. Superior resin that holds-up to moisture and chemicals. 25 discs per package.

RS-866-2C	2" Coarse	RS-866-2M	2" Medium
RS-866-3C	3" Coarse	RS-866-3M	3" Medium



GRINDING DISC

This premium aluminum oxide disc has a super long life and fast cutting action, not only saving you money but also time. High-tech resin helps the grit stay on the disc. 25 discs per package.

RS-867-2-24	2" 24 Grit	RS-867-3-24	3" 24 Grit
RS-867-2-36	2" 36 Grit	RS-867-3-36	3" 36 Grit
RS-867-2-50	2" 50 Grit	RS-867-3-50	3" 50 Grit



DOUBLE ENDED DRILL BITS

1/8", 1/4" and 3/16" Premium High-Speed Steel Bits. Won't break under normal use. Handy 12-pack.

RS-891	1/8" Premium
RS-891-14	1/4" Premium
RS-891-316	3/16" Premium
RS-892	1/8" Standard



COBALT SPOT WELD BITS

A one-piece, self-centering spot weld cutter for quickly removing all spot welds. Extra strong cobalt steel outlasts other types of cutters.

RS-899	8mm	RS-899-1.49	Spotle Replacement
RS-899-6.5	6.5mm	RS-899-1.69	Spitznagel Replacement
RS-899-D	8mm Double End		



HSS SPOT WELD BITS

These bits are made of premium, high-speed steel for super fast removal, long life and are highly resistant to chipping and breaking. A 1/8" pilot bit centers the bit.

RS-899-38	3/8" Diameter
RS-899-516	5/16" Diameter



TIN COATED COBALT SPOT WELD BITS

Cobalt steel spot weld bits are designed only for Medallion Refinish System. These bits are coated with Titanium Nitrate for lubrication and longevity. An excellent bit for boron steel.

RS-900-38	3/8" Diameter
RS-900-516	5/16" Diameter



TITANIUM NITRATE COATED SPOT WELD BITS

Works on ALL types of automotive metal including Boron steels and provides incredibly long life. Centers the bit in the middle of the spotweld and keeps it from migrating away from the spotweld. When used properly, these spotweld drills will remove the spotweld without damaging the underlying panel. Quickly cuts through spotwelds to decrease panel removal time. Must use at 600 RPM max.

RS-899-T3	3/8" Diameter
RS-899-T5	5/16" Diameter



STEP DOWN BIT

RS-901 is a moly alloy steel step down drill bit for drilling from 1/8" to 1/2" holes. This bit is designed for automotive use. It has a double flute for drilling clean accurate holes in thin metal, composite and rigid plastics

RS-901	Step Down Bit
--------	---------------



WELDING BLANKET

Up to 1000° F temperature resistance. Neoprene coating protects car interior and finish. Tough, resilient blanket with folded and sewn edges to prevent unraveling.

RS-917-NFB	5'x8' Welding Blanket
------------	-----------------------

SEAM SEALER



BRUSH GRADE SEAM SEALER

RS-206 is a permanent, flexible sealant that matches O.E.M. brushed in sealers. Duplicates trunk, cowl, floor pan and other factory sealers. Dries quickly. Paintable in 30 minutes. Won't lift behind brush even on rough surfaces.

RS-206 Brush Grade Seam Sealer Quart



FAST LEAK STOP

A fast setting seam sealant that tools easily. Sealer flows slightly so all edges and marks disappear. Duplicates factory door skin seals perfectly. Sets to a very tough.

RS-207 Fast Leak Stop White 5 Oz Tube
RS-214 Fast Leak Stop Black 5 oz. Tube



FAST SETTING SEAM & JOINT

Fast Setting Seam-N-Joint is a high rubber content seam sealant that cures quickly. Tools very smoothly and has slight reflow after tooling so edges and fingerprints disappear.

RS-226 Fast Setting Seam N Joint White Cartridge
RS-208 Fast Setting Seam N Joint Black Cartridge



UNIVERSAL SEAM SEALER

RS-216 is an all-purpose, high rubber content sealer for all autobody applications. Creamy smooth formula can be brushed or tooled as desired. Resealable cartridge with interchangeable tips.

RS-216 Universal Seam Sealer White Cartridge



JOINT SEAL

RS-293 is a flexible, semi-firm sealant that is very smooth and creamy. Tools very easily and looks like O.E.M. Approximate 8 minute skin time. Won't crack or peel. Minimal shrinkage.

RS-293 Joint Seal White Cartridge



SPRAYABLE URETHANE SEAM SEALER

This urethane sealant is suitable for both spraying and standard beads when applied with our RS-8000 air dispenser. Easily matches all types and textures of factory sealers with one product.

RS-235 Sprayable Seam Sealer Cartridge



MSP POLYMER SEAM SEALER (Sprayable)

MSP Seam Sealer is a fast setting flexible seam sealer that can be immediately painted after application. RS-234 can be applied with caulk gun or sprayed using the RS-8000 air dispenser.

RS-234 MSP Seam Sealer Buff Cartridge



URETHANE SEAM SEALER

A premium quality, one-component urethane for sealing all autobody seams. Also bonds door skins, hoods, deck-lid braces and roof skins. Bonds metal, aluminum, plastic, etc. No shrinkage.

RS-228 Urethane Seam Seal/Adhesive Grey Sausage
RS-229 Urethane Seam Seal/Adhesive Grey Cartridge



SEAM SEALER TAPES

This flexible self-adhering seam tape duplicates factory sealer tape perfectly. Corners easily without wrinkles and can be painted immediately after application.

RS-954-WT Seam Seal Tape 10mm x 8 m
RS-957 Arch Tape 12mm x 2mm
RS-958 Arch Tape 12mm x 3mm



DUM DUM STRIP CAULK

A thumbable, easily tooled caulk for all around autobody use. Never dries out. Won't crack or shrink. Excellent for sealing fender extensions, gaskets, wing vents, sunroofs, between panels, etc.

RS-300 DumDum Black 2 lb Box



SPRAYABLE SEAM SEALER DISPENSER

European dispenser for applying beads or spraying autobody sealers. Top quality tool lets you regulate type and texture of sealer in order to match factory sealers.

RS-8000 Dispenser Kit
RS-8001 Inner White Spray Top
RS-8002 Caulk Tube Ring
RS-8003 Small Ribbon Tip
RS-8004 Long Outer Spray Tip
RS-8005 Retaining Ring
RS-8006 Short Outer Spray Tip



HD APPLICATOR GUN

Heavy duty dispensing gun for 10.5 ounce sausage packs or standard cartridges. Also converts to high-quality standard cartridge gun.

RS-814 Applicator Gun



SUPER HD CAULKING GUN

This super heavy duty dispenser will pump the most viscous materials. No more sore hands or forearms.

RS-823 HD Caulking Gun

ADHESIVES & SOUND DEADENERS



RUBBER GLUE

Excellent quality, super fast dry neoprene contact cement for all exterior and interior auto body applications. Quickly reattaches body side moldings, emblems, weatherstrips, plastic trim parts. Super fast initial cure. Will not harm cured painted surfaces.

RS-135 Rubber Glue 8 oz.



SUPER TACK

A super high strength, fast tacking contact cement for gaskets, trim parts, weatherstrips, etc. Available in amber and black colors.

RS-120 Super Tack Weatherstrip Adhesive Amber 8 oz.
RS-122 Super Tack Weatherstrip Adhesive Amber 5 oz.



GORILLA GLUE

The Gorilla Glue bonding system is designed especially for the repair of most all automotive plastic and rubber parts. Instantly bonds rubber bumper, header panels, plastic trim parts and stripped screw holes. Gorilla Glue in most cases bonds item to original strength.

RS-160 Gorilla Glue Kit 50gm
RS-161 Activator 2 oz.
RS-162 Thin Glue 20gm
RS-164 Thin Glue 50gm
RS-165 Thick Glue 50gm
RS-167-K Mini Thin Kit



SOUND DEADENING PADS

Original equipment replacement for foreign and domestic trunk floor pads. Can be cut to shape for any application and painted over.

RS-365 12" x 12"
RS-366 33" x 58"

PATCH PADS

A 0.60" thick, solid butyl pad backed with a malleable aluminum sheet. Excellent sound deadening capabilities for floor pans, door skins, etc. Seals irregular seams. Seals out exhaust fumes, patches tears and holes in cargo trailers.

RS-350 Patch Pads

TAPES



ACRYLIC URETHANE SIDE MOLDING TAPE

A super effective, double-coated foam tape that holds all types of body side molding and emblems to all types of paint systems. Approved for most OEM applications. Works very well on wide truck and van moldings that typically are very difficult to keep in place. Excellent realignment properties

RS-937 1/2" x 108"
RS-938 5/8" x 108"
RS-939 1" x 108"



SUPER HIGH TACK ACRYLIC URETHANE SIDE MOLDING TAPE

Premium quality O.E.M. body side molding tape. This tape is manufactured with acrylic urethane foam for superior strength and durability. Actually used on many factory molding and emblem installations. Super high tack for instant bond to ALL molding and paint systems. Use these molding tapes so you can stop worrying about your customers' moldings coming off after they leave your shop. When these tapes are used in conjunction with RS-999 Ultra Bond on moldings, the moldings have a 3 year warranty against release when used as directed.

RS-940 3/16" v 54" RS-991 5/8" x 60"
RS-995 1/4" x 60" RS-992 7/8" x 60"
RS-997 3/8" x 60" RS-994 2" x 30"
RS-990 1/2" x 60"



SPECIALITY MOLDING TAPES

OEM Acrylic Foam Attachment Tapes. Excellent for bumper insert moldings. Various sizes fit a variety of applications without having to trim excess tape. Fantastic adhesion.

RS-941 Low Profile 1/8" x 1/32" x 60"
RS-942 Low Profile 5/8" x 1/32" x 60"
RS-943 Indented Molding 1/2" x 3/32" x 30"



FINE LINE TAPE

Top quality, fine-line masking tape for use in striping and covering.

RS-983-Y 1/8" Fine Line
RS-984-Y 1/4" Fine Line
RS-985-Y 1/2" Fine Line



TAPE ADHESION PROMOTER

Tape Adhesion Promoter. Guaranteed molding attachment. Ask your rep to see our money-back guarantee if a molding is lost when our system is used.

RS-999 Ultra Bond Plus 8 oz.



ADHESIVE RELEASE AGENT

Moldings and other parts with adhesive on them can be immersed in this solution in order to remove adhesive and tape from them. Usually an overnight submersion time is needed to provide adhesive release.

RS-659 Adhesive Release Agent Gallon



BLACK WATERPROOF CLOTH TAPE

High quality cloth backing. Designed for long life. Excellent for shielding water leaks and repairing upholstery. Protects existing paint around areas being sanded, ground or sand blasted.

RS-920-B Black Cloth Tape 2" x 108"



DUCT TAPE

A premium grade duct tape for all uses. Liner won't delaminate under normal use. Abrasive stays attached to liner. Tight reinforcement for added strength.

RS-919 Silver Duct Tape 2" x 108"

2 COMPONENT ADHESIVE & SEALERS



PANEL BONDERS

Super strong and tough adhesion. No soft spots. Bonds to any type of properly prepared automotive/truck metal, SMC or fiberglass. Safe for baking. Also works as a sealer. Non-sagging formula. Anaerobic acceleration of cure when sandwiched between two pieces of metal. Will not discolor paint. Guaranteed performance when used according to directions.

RS-7130	30 Minute	200ml
RS-7160	60 Minute	200ml
RS-7190	90 Minute	200ml
RS-7020	Static Mix Tips w/nut	



5 MINUTE EPOXY SEAM SEALER

MRS-7205 General Purpose Epoxy Seam Sealer is two-component, epoxy seam sealer formulated for automotive and truck applications as well as light industrial. This seam sealer has a 5 minute work time. It can be applied to sanded 2K primer surfacers and pre-treatment primers including self-etch primers and sanded OEM painted surfaces. It can be topcoated with basecoat/clearcoat systems.

MRS-7205	General Purpose Epoxy Seam Sealer 5 Minute	200ml
RS-7020	Static Mix Tips w/nut	



15 MINUTE EPOXY SEAM SEALER

MRS-7215 General Purpose Flexible Epoxy Seam Sealer is two-component, epoxy seam sealer formulated for automotive and truck applications as well as light industrial. This seam sealer has a 15 minute work time. It can be applied to sanded 2K primer surfacers and pre-treatment primers including self-etch primers and sanded OEM painted surfaces. It can be topcoated with basecoat/clearcoat systems.

MRS-7215	General Purpose Epoxy Seam Sealer 15 Minute	200ml
RS-7020	Static Mix Tips w/nut	



DTAM EPOXY NON-SAG SEAM SEALER

MRS-7201 DTAM Epoxy Non-Sag Seam Sealer is two-component, epoxy seam sealer formulated for automotive and truck applications as well as light industrial. This seam sealer can be applied directly to properly prepared cold-rolled steel, galvanized steel, aluminum, SMC, fiberglass, FRP and other plastics. It can also be applied to sanded 2K primer surfacers and pre-treatment primers including self-etch primers.

MRS-7201	DTAM Epoxy Non-Sag Seam Sealer	200ml
RS-7020	Static Mix Tips w/nut	



RAPID BOND ADHESIVE

Sets within 30 seconds. Clear. Urethane based. Powerful adhesion. Bonds metals and most plastics. Repairs bumpers and tabs. Shrinkage free. Non-sag. Sandable/drillable. Use in EU-845 Dispenser gun. Solvent Free 100% Solids.

RS-7001	Rapid Bond Adhesive	50ml
RS-7026	50ml Static Mixing Tips	



"PLASTIC MASTER" UNIVERSAL REPAIR MATERIAL

Use on any type of bumper including TPO and polypropylene. Super strong adhesion (optimize adhesion with RS-590 Flexi-Grip). Semi-Rigid. Tough: stands up to impact. Incredibly easy to sand. Fast dry time: 3-5 minute work time. Sand in 15-20 minutes. Excellent feather-edge. Should be used on back side to reinforce when used on a flexible bumper. Guaranteed performance when used according to directions. Solvent Free 100% Solids

RS-7107	"Plastic Master" Plastic Repair	300ml
RS-7020	Static Mix Tips w/nut	



2 COMPONENT DISPENSERS

A high-leverage, heavy-duty dispensers for 50 ml., 200 ml. and 300 ml. cartridges and a super heavy-duty, zero-effort pneumatic dispenser for big jobs,

EU-845	50ml Dispenser
EU-847	50ml Premium Dispenser
EU-850	300ml/200ml Dispenser
EU-852	300ml/200ml Premium Dispenser
EU-853	200ml Dispenser

INDASA ABRASIVES



REDLINE XL RHYNOWET SHEETS

9" x 11" Sheets	80 thru 2500 Grit
5 1/2" x 9" Sheets	1000 thru 2500 Grit



REDLINE RHYNOGRIP VELCRO

3" Solid	40 thru 2000 Grit	6" Vacuum	40 thru 500 Grit
5" Solid	80 thru 1500 Grit	8" Solid	36 thru 1500 Grit
6" Solid	36 thru 2000 Grit	2 3/4" x 16 1/2" Long Board	36 thru 320 Grit



REDLINE XL SELF ADHESIVE


5" Solid	40 thru 800 Grit	6" Solid Link Roll	80 thru 800 Grit
5" Solid Link Roll	80 thru 400 Grit	8" Solid	36 thru 600 Grit
6" Solid	36 thru 800 Grit	2 3/4" x 16 1/2" Long Board	36 thru 320 Grit
		2 3/4" x 25 meters Roll	36 thru 400 Grit



RHYNO SPONGE PADS

4 1/2" x 5 1/2" hand sponge pads are perfect for those hard to sand areas. Available in four grit sizes, this superior pad provides the finishing touch to any sanding job. 20 per pack. Also available in four-pack cases. **MUST BE USED IN A WET APPLICATION.**

320 thru 1200 Grit



VELCRO® INTERFACE PADS

These 3/4" thick interface pads feature a hook texture on one side and are looped on the other. Thick padding makes it easy to sand curved and angled body panels.

IN-IFP-5	5" Velcro
IN-IFP-6	6" Velcro
IN-IFP-8	8" Velcro



SCUFF MASTER

Scuff Master makes scuffing faster, easier and more economical. Can be used with a scuff pad or just a wet rag to achieve a more uniform scratch pattern. This product cleans and scuffs at the same time. Great for color blending and bumper preparation.

RS-677 Scuff Master 22 oz.

NOTES

NOTES



Medallion Refinish System

5751 N. Webster St.

Dayton, OH 45414

Phone: 937-890-6547

Toll Free: 800-257-6547

Fax: 937-890-6320

SouthWest Warehouse

1718 Fry Road

Suite 120

Houston, TX 77084

Phone: 281-829-9190

Toll Free: 877-558-

LIT-300S